

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	972	(bladder balloon bag ) near5 (seat).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT
2	BRS	L2	6	1 and (flexible deform\$5 deflect\$5 elastomeric elastic\$4 ) near3 (solid rigid\$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Time Stamp	Comments	Error Definition	Errors
1	2004/11/16 10:16			
2	2004/11/16 10:25			

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	784	((bladder balloon bag) near5 seat).clm.	USPAT; EPO; JPO	OR	ON	2004/11/16 09:12
L2	2	1 and ((flexible defrom\$5 deflect\$5 elastomeric elastic\$5) near3 (solid rigid )).clm.	USPAT; EPO; JPO	OR	ON	2004/11/16 09:14
L3	2	1 and ((flexible defrom\$5 deflect\$5 elastomeric elastic\$5) near3 (solid rigid )).	USPAT; EPO; JPO	OR	ON	2004/11/16 09:15
L4	6	1 and ((flexible deform\$5 deflect\$5 elastomeric elastic\$5) near3 (solid rigid )).clm.	USPAT; EPO; JPO	OR	ON	2004/11/16 09:20
L5	115	1 near8 (mat\$6 panel plat\$5 board sheet layer).clm.	USPAT; EPO; JPO	OR	ON	2004/11/16 09:19
L6	5	5 and ((flexible deform\$5 deflect\$5 elastomeric elastic\$5) same (solid rigid\$5 )).clm.	USPAT; EPO; JPO	OR	ON	2004/11/16 09:20

	Type	L #	Hits	Search Text	DBs
<b>1</b>	BRS	L1	19	"6033370"	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>2</b>	BRS	L2	17	1 and (capacit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>3</b>	BRS	L3	15	1 and (capacit\$5) near3 (sens\$5 detect\$5 transducer measur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Time Stamp	Comments	Error Definition	Errors
1	2004/11/16 10:05			
2	2004/11/16 10:06			
3	2004/11/16 10:06			